

100 ARKANSAS MOMS

Pre-Pregnancy Risk Factors

For every 100 new Arkansas moms¹ in 2021, 62 had a healthcare visit in the 12 months prior to pregnancy




For every 100 new Arkansas moms in 2021, 14 had no insurance one month prior to pregnancy.




HFAITHCARF VISIT

The percentage of new Arkansas moms with a healthcare visit in the 12 months prior to pregnancy increased 5.5 percentage points between 2016 and 2021.²



UNINSURED STATUS

The percentage of new Arkansas moms with no insurance one month prior to pregnancy increased 2.5 percentage points between 2016 and 2021.





¹New moms include women who gave birth two to four months prior to survey administration.


²Arkansas data unavailable for 2017.

³Arkansas rates compared to measure's best-performing state with comparable years of data.


Pre-Pregnancy Risk Factors

BODY MASS INDEX (BMI) IN THE OVERWEIGHT OR OBESE RANGE


For every 100 new Arkansas moms¹ in 2021, 60 had a BMI in the overweight or obese range.



For every 100 new Arkansas moms in 2021, 19 smoked cigarettes in the three months prior to pregnancy.




The percentage of new Arkansas moms with a BMI in the overweight or obese range increased 5.4 percentage points between 2016 and 2021.²



CIGARETTE USE

The percentage of new Arkansas moms who smoked cigarettes in the three months prior to pregnancy decreased 5 percentage points between 2016 and 2021.





¹New moms include women who gave birth two to four months prior to survey administration.


²Arkansas data unavailable for 2017.

³Arkansas rates compared to measure's best-performing state with comparable years of data.


100 ARKANSAS MOMS

Pre-Pregnancy Risk Factors

For every 100 new Arkansas moms¹ in 2021, 39 took a multivitamin four or more times a week during the month before pregnancy.




For every 100 new Arkansas moms in 2021, 49 received a flu shot in the 12 months prior to delivery.




MULTIVITAMIN USE

The percentage of new Arkansas moms who took a multivitamin four or more times a week during the month before pregnancy increased 2.6 percentage points between 2016 and 2021.²



FLU SHOT

The percentage of new Arkansas moms who received a flu shot in the 12 months prior to delivery **decreased** 12.3 percentage points between 2016 and 2021.





¹New moms include women who gave birth two to four months prior to survey administration.

²Arkansas data unavailable for 2017.

³Arkansas rates compared to measure's best-performing state with comparable years of data.


Pre-Pregnancy Risk Factors

For every 100 new Arkansas moms¹ in 2021, 26 reported experiencing depression in the three months prior to pregnancy.




DEPRESSION

The percentage of new Arkansas moms who reported experiencing depression in the three months prior to pregnancy increased 6.6 percentage points between 2016 and 2021.²




INTIMATE PARTNER VIOLENCE

For every 100 new Arkansas moms in 2021, 3 reported experiencing intimate partner violence during the 12 months prior to pregnancy.



The percentage of new Arkansas moms who reported experiencing intimate partner violence during the 12 months prior to pregnancy decreased 3.1 percentage points between 2016 and 2021.





¹New moms include women who gave birth two to four months prior to survey administration.

²Arkansas data unavailable for 2017.

³Arkansas rates compared to measure's best-performing state with comparable years of data.